

Product catalogue

Anodes



Zinc
Tank

Ned ZT50


Dimensions	Metric	Imperial
Net weight	: 4,8 kg	10,6 lb
Gross weight	: 5,4 kg	11,9 lb
Length	: 270 mm	10,6"
Length with inserts	: 730 mm	2' 4,7"
Width top	: 40 mm	1,6"
Width bottom	: 50 mm	2,0"
Width inserts	: 12 mm	0,5"
Height	: 57 mm	2,2"
Height inserts	: 12 mm	0,5"

Ned ZT110


Dimensions	Metric	Imperial
Net weight	: 9,1 kg	20,1 lb
Gross weight	: 10,0 kg	22,0 lb
Length	: 520 mm	1' 8,5"
Length with inserts	: 980 mm	3' 2,6"
Width top	: 40 mm	1,6"
Width bottom	: 50 mm	2,0"
Width inserts	: 12 mm	0,5"
Height	: 57 mm	2,2"
Height inserts	: 12 mm	0,5"

Ned ZT50-DC


Dimensions	Metric	Imperial
Net weight	: 4,8 kg	10,6 lb
Gross weight	: 5,4 kg	11,9 lb
Length	: 270 mm	10,6"
Length with inserts	: 730 mm	2' 4,7"
Width top	: 40 mm	1,6"
Width bottom	: 50 mm	2,0"
Width inserts	: 12 mm	0,5"
Height	: 57 mm	2,2"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT80-DC


Dimensions	Metric	Imperial
Net weight	: 7,3 kg	16,1 lb
Gross weight	: 8,0 kg	17,6 lb
Length	: 410 mm	1' 4,1"
Length with inserts	: 870 mm	2' 10,3"
Width top	: 40 mm	1,6"
Width bottom	: 50 mm	2,0"
Width inserts	: 12 mm	0,5"
Height	: 57 mm	2,2"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT110-DC


Dimensions	Metric	Imperial
Net weight	: 9,1 kg	20,1 lb
Gross weight	: 10,0 kg	22,0 lb
Length	: 520 mm	1' 8,5"
Length with inserts	: 980 mm	3' 2,6"
Width top	: 40 mm	1,6"
Width bottom	: 50 mm	2,0"
Width inserts	: 12 mm	0,5"
Height	: 57 mm	2,2"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT130-DC


Dimensions	Metric	Imperial
Net weight	: 11,0 kg	24,3 lb
Gross weight	: 12,0 kg	26,5 lb
Length	: 640 mm	2' 1,2"
Length with inserts	: 1110 mm	3' 7,7"
Width top	: 40 mm	1,6"
Width bottom	: 50 mm	2,0"
Width inserts	: 12 mm	0,5"
Height	: 57 mm	2,2"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT150-DC


Dimensions	Metric	Imperial
Net weight	: 14,5 kg	32,0 lb
Gross weight	: 15,6 kg	34,4 lb
Length	: 830 mm	2' 8,7"
Length with inserts	: 1290 mm	4' 2,8"
Width top	: 40 mm	1,6"
Width bottom	: 50 mm	2,0"
Width inserts	: 12 mm	0,5"
Height	: 57 mm	2,2"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT200-DC


Dimensions	Metric	Imperial
Net weight	: 18,3 kg	40,3 lb
Gross weight	: 19,6 kg	43,2 lb
Length	: 1000 mm	3' 3,4"
Length with inserts	: 1460 mm	4' 9,5"
Width top	: 40 mm	1,6"
Width bottom	: 50 mm	2,0"
Width inserts	: 12 mm	0,5"
Height	: 57 mm	2,2"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT230-DC


Dimensions	Metric	Imperial
Net weight	: 21,5 kg	47,4 lb
Gross weight	: 23,0 kg	50,7 lb
Length	: 1220 mm	4' 0,0"
Length with inserts	: 1680 mm	5' 6,1"
Width top	: 40 mm	1,6"
Width bottom	: 50 mm	2,0"
Width inserts	: 12 mm	0,5"
Height	: 57 mm	2,2"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT320-DC


Dimensions	Metric	Imperial
Net weight	: 30,0 kg	66,1 lb
Gross weight	: 31,5 kg	69,4 lb
Length	: 1220 mm	4' 0,0"
Length with inserts	: 1680 mm	5' 6,1"
Width top	: 45 mm	1,8"
Width bottom	: 60 mm	2,4"
Width inserts	: 12 mm	0,5"
Height	: 68 mm	2,7"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT330-DC


Dimensions	Metric	Imperial
Net weight	: 33,4 kg	73,6 lb
Gross weight	: 34,3 kg	75,6 lb
Length	: 640 mm	2' 1,2"
Length with inserts	: 1110 mm	3' 7,7"
Width top	: 75 mm	3,0"
Width bottom	: 80 mm	3,1"
Width inserts	: 12 mm	0,5"
Height	: 95 mm	3,7"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT390-DC

Dimensions	Metric	Imperial
Net weight	: 39,8 kg	87,7 lb
Gross weight	: 40,9 kg	90,2 lb
Length	: 750 mm	2' 5,5"
Length with inserts	: 1210 mm	3' 11,6"
Width top	: 75 mm	3,0"
Width bottom	: 80 mm	3,1"
Width inserts	: 12 mm	0,5"
Height	: 95 mm	3,7"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT520-DC**Dimensions**

	Metric	Imperial
Net weight	: 52,3 kg	115,3 lb
Gross weight	: 53,6 kg	118,2 lb
Length	: 1000 mm	3' 3,4"
Length with inserts	: 1460 mm	4' 9,5"
Width top	: 75 mm	3,0"
Width bottom	: 80 mm	3,1"
Width inserts	: 12 mm	0,5"
Height	: 95 mm	3,7"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

Ned ZT630-DC**Dimensions**

	Metric	Imperial
Net weight	: 63,8 kg	140,7 lb
Gross weight	: 65,3 kg	144,0 lb
Length	: 1220 mm	4' 0,0"
Length with inserts	: 1680 mm	5' 6,1"
Width top	: 75 mm	3,0"
Width bottom	: 80 mm	3,1"
Width inserts	: 12 mm	0,5"
Height	: 95 mm	3,7"
Height inserts	: 12 mm	0,5"
Clearance	: 50 mm	2,0"

PERFECTION IN INSPECTION

PERFECTION FOR PROTECTION



- * Ultrasonic Thickness measurements
- * New Building Inspections
- * Coating Inspections
- * Pré Conditional Survey
- * Dry-Dock Supervision
- * Superintendence
- * Hull Condition Monitoring
- * P&S Surveys
- * Hatch Tightness Testing
- * Leak Detection
- * Reporting
- * NDT Inspections

- * Magnetic Core Drilling
Technology and Products
- * Workshop Equipment



- * Sacrificial Anodes
- * Maritime Products

Perfection in Inspection

Perfection for Protection

Version 1.0

Ned Marine Services B.V. – Tinstraat 109 – 2984 AN Ridderkerk – The Netherlands - Phone 0031 (0) 180 420 055 – Fax 0031 (0) 180 499 810

E-mail info@nedmarine.com – Website www.nedmarine.com – www.usaf-nedmarine.com

Registered Chamber of Commerce (KvK) Rotterdam 50358766 ABN AMRO Bank no. 401276015 VAT no. NL 822692144B01

International Banking Account no. NL25ABNA0401276015 – Swift no. ABNANL2A