

Product catalogue

Anodes



Zinc

Bolted

NED 240Z		Dimensions	Metric	Imperial
		Net weight	: 24,0 kg	52,9 lb
		Gross weight	: 26,0 kg	57,3 lb
		Length	: 920 mm	3' 0,2"
		Length with inserts	: 1015 mm	3' 4,0"
		Distance between holes	: 970 mm	3' 2,2"
		Width top	: 126 mm	5,0"
		Width inserts	: 50 mm	2,0"
		Height	: 45 mm	1,8"
	Height inserts	: 5 mm	0,2"	

NED 2,5Z/2B		Dimensions	Metric	Imperial
		Net weight	: 0,3 kg	0,7 lb
		Length	: 100 mm	3,9"
		Distance between holes	: 50 mm	2,0"
		Width top	: 30 mm	1,2"
		Height	: 15 mm	0,6"


NED 9ZB		Dimensions	Metric	Imperial
		Net weight	: 0,9 kg	2,0 lb
		Gross weight	: 1,0 kg	2,2 lb
		Length	: 120 mm	4,7"
		Length with inserts	: 180 mm	7,1"
		Distance between holes	: 150 mm	5,9"
		Width top	: 80 mm	3,1"
		Width inserts	: 25 mm	1,0"
		Height	: 23 mm	0,9"
	Height inserts	: 3 mm	0,1"	

NED 10ZB		Dimensions	Metric	Imperial
		Net weight	: 1,0 kg	2,2 lb
		Gross weight	: 1,1 kg	2,4 lb
		Length	: 180 mm	7,1"
		Length with inserts	: 220 mm	8,7"
		Distance between holes	: 200 mm	7,9"
		Width top	: 60 mm	2,4"
		Width inserts	: 30 mm	1,2"
		Height	: 30 mm	1,2"
	Height inserts	: 3 mm	0,1"	


NED 28ZB		Dimensions	Metric	Imperial
		Net weight	: 2,8 kg	6,2 lb
		Gross weight	: 3,0 kg	6,6 lb
		Length	: 170 mm	6,7"
		Length with inserts	: 260 mm	10,2"
		Distance between holes	: 215 mm	8,5"
		Width top	: 100 mm	3,9"
		Width inserts	: 25 mm	1,0"
		Height	: 40 mm	1,6"
	Height inserts	: 3 mm	0,1"	

NED 30ZB


Dimensions	Metric	Imperial
Net weight	: 2,8 kg	6,2 lb
Gross weight	: 3,0 kg	6,6 lb
Length	: 250 mm	9,8"
Length with inserts	: 370 mm	1' 2,6"
Distance between holes	: 340 mm	1' 1,4"
Width top	: 80 mm	3,1"
Width inserts	: 20 mm	0,8"
Height	: 25 mm	1,0"
Height inserts	: 3 mm	0,1"

NED 50ZB


Dimensions	Metric	Imperial
Net weight	: 5,0 kg	11,0 lb
Gross weight	: 5,4 kg	11,9 lb
Length	: 300 mm	11,8"
Length with inserts	: 430 mm	1' 4,9"
Distance between holes	: 390 mm	1' 3,4"
Width top	: 90 mm	3,5"
Width inserts	: 30 mm	1,2"
Height	: 40 mm	1,6"
Height inserts	: 4 mm	0,2"

NED 125ZB


Dimensions	Metric	Imperial
Net weight	: 12,5 kg	27,6 lb
Gross weight	: 12,7 kg	28,0 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 150 mm	5,9"
Width inserts	: 40 mm	1,6"
Height	: 40 mm	1,6"
Height inserts	: 4 mm	0,2"

NED 217ZB


Dimensions	Metric	Imperial
Net weight	: 21,7 kg	47,8 lb
Gross weight	: 22,4 kg	49,4 lb
Length	: 680 mm	2' 2,8"
Length with inserts	: 830 mm	2' 8,7"
Distance between holes	: 740 mm	2' 5,1"
Width top	: 128 mm	5,0"
Width inserts	: 40 mm	1,6"
Height	: 40 mm	1,6"
Height inserts	: 5 mm	0,2"

NED B2Z


Dimensions	Metric	Imperial
Net weight	: 1,4 kg	3,1 lb
Gross weight	: 1,5 kg	3,3 lb
Length	: 150 mm	5,9"
Distance between holes	: 80 mm	3,1"
Width top	: 70 mm	2,8"
Width inserts	: 30 mm	1,2"
Height	: 20 mm	0,8"
Height inserts	: 3 mm	0,1"

NED B3Z

Dimensions	Metric	Imperial
Net weight	: 2,4 kg	5,3 lb
Gross weight	: 2,5 kg	5,5 lb
Length	: 200 mm	7,9"
Distance between holes	: 110 mm	4,3"
Width top	: 100 mm	3,9"
Width inserts	: 30 mm	1,2"
Height	: 20 mm	0,8"
Height inserts	: 3 mm	0,1"

NED B4Z

Dimensions	Metric	Imperial
Net weight	: 3,4 kg	7,5 lb
Gross weight	: 3,5 kg	7,7 lb
Length	: 200 mm	7,9"
Distance between holes	: 110 mm	4,3"
Width top	: 100 mm	3,9"
Width inserts	: 30 mm	1,2"
Height	: 30 mm	1,2"
Height inserts	: 3 mm	0,1"

NED B5Z


Dimensions	Metric	Imperial
Net weight	: 4,1 kg	9,0 lb
Gross weight	: 4,2 kg	9,3 lb
Length	: 200 mm	7,9"
Distance between holes	: 110 mm	4,3"
Width top	: 100 mm	3,9"
Width inserts	: 30 mm	1,2"
Height	: 40 mm	1,6"
Height inserts	: 3 mm	0,1"

NED B8Z


Dimensions	Metric	Imperial
Net weight	: 7,1 kg	15,7 lb
Gross weight	: 7,5 kg	16,5 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 150 mm	5,9"
Width inserts	: 50 mm	2,0"
Height	: 25 mm	1,0"
Height inserts	: 5 mm	0,2"

NED B9Z


Dimensions	Metric	Imperial
Net weight	: 8,8 kg	19,4 lb
Gross weight	: 9,0 kg	19,8 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 150 mm	5,9"
Width inserts	: 50 mm	2,0"
Height	: 30 mm	1,2"
Height inserts	: 5 mm	0,2"

NED B10Z**Dimensions**



	Metric	Imperial
Net weight	: 11,1 kg	24,5 lb
Gross weight	: 11,4 kg	25,1 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 150 mm	5,9"
Width inserts	: 50 mm	2,0"
Height	: 40 mm	1,6"
Height inserts	: 5 mm	0,2"

NED B11Z**Dimensions**


	Metric	Imperial
Net weight	: 13,5 kg	29,8 lb
Gross weight	: 13,8 kg	30,4 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 150 mm	5,9"
Width inserts	: 50 mm	2,0"
Height	: 50 mm	2,0"
Height inserts	: 5 mm	0,2"

NED B12Z**Dimensions**


	Metric	Imperial
Net weight	: 15,9 kg	35,1 lb
Gross weight	: 16,2 kg	35,7 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 150 mm	5,9"
Width inserts	: 50 mm	2,0"
Height	: 60 mm	2,4"
Height inserts	: 5 mm	0,2"

NED B13Z**Dimensions**


	Metric	Imperial
Net weight	: 18,3 kg	40,3 lb
Gross weight	: 18,6 kg	41,0 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 150 mm	5,9"
Width inserts	: 50 mm	2,0"
Height	: 70 mm	2,8"
Height inserts	: 5 mm	0,2"

NED B14Z**Dimensions**


	Metric	Imperial
Net weight	: 20,0 kg	44,1 lb
Gross weight	: 20,3 kg	44,8 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 150 mm	5,9"
Width inserts	: 50 mm	2,0"
Height	: 75 mm	3,0"
Height inserts	: 5 mm	0,2"

NED B15Z**Dimensions**


	Metric	Imperial
Net weight	: 14,8 kg	32,6 lb
Gross weight	: 15,1 kg	33,3 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 200 mm	7,9"
Width inserts	: 50 mm	2,0"
Height	: 40 mm	1,6"
Height inserts	: 5 mm	0,2"

NED B16Z**Dimensions**


	Metric	Imperial
Net weight	: 18,3 kg	40,3 lb
Gross weight	: 18,6 kg	41,0 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 200 mm	7,9"
Width inserts	: 50 mm	2,0"
Height	: 45 mm	1,8"
Height inserts	: 5 mm	0,2"

NED B17Z**Dimensions**



	Metric	Imperial
Net weight	: 20,3 kg	44,8 lb
Gross weight	: 20,6 kg	45,4 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 200 mm	7,9"
Width inserts	: 50 mm	2,0"
Height	: 50 mm	2,0"
Height inserts	: 5 mm	0,2"

NED B18Z**Dimensions**



	Metric	Imperial
Net weight	: 22,1 kg	48,7 lb
Gross weight	: 22,4 kg	49,4 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 200 mm	7,9"
Width inserts	: 50 mm	2,0"
Height	: 55 mm	2,2"
Height inserts	: 5 mm	0,2"

NED B19Z**Dimensions**

	Metric	Imperial
Net weight	: 24,3 kg	53,6 lb
Gross weight	: 24,6 kg	54,2 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 200 mm	7,9"
Width inserts	: 50 mm	2,0"
Height	: 60 mm	2,4"
Height inserts	: 5 mm	0,2"

NED B20Z**Dimensions**

	Metric	Imperial
Net weight	: 26,4 kg	58,2 lb
Gross weight	: 26,7 kg	58,9 lb
Length	: 300 mm	11,8"
Distance between holes	: 160 mm	6,3"
Width top	: 200 mm	7,9"
Width inserts	: 50 mm	2,0"
Height	: 65 mm	2,6"
Height inserts	: 5 mm	0,2"

NED B304Z**Dimensions**

	Metric	Imperial
Net weight	: 30,4 kg	67,0 lb
Gross weight	: 30,8 kg	67,9 lb
Length	: 400 mm	1' 3,7"
Distance between holes	: 260 mm	10,2"
Width top	: 200 mm	7,9"
Height	: 62 mm	2,4"

PERFECTION IN INSPECTION

PERFECTION FOR PROTECTION



- * Ultrasonic Thickness measurements
- * New Building Inspections
- * Coating Inspections
- * Pré Conditional Survey
- * Dry-Dock Supervision
- * Superintendence
- * Hull Condition Monitoring
- * P&S Surveys
- * Hatch Tightness Testing
- * Leak Detection
- * Reporting
- * NDT Inspections

* Sacrificial Anodes



* Maritime Products

Perfection in Inspection

Perfection for Protection

Version 1.0

Ned Marine Services B.V. – Wolweverstraat 43 – 2984 CE Ridderkerk – The Netherlands - Phone 0031 (0) 180 420 055

E-mail info@nedmarine.com – Website www.nedmarine.com – www.usaf-nedmarine.com

Registered Chamber of Commerce (KvK) Rotterdam 50358766 ABN AMRO Bank no. 401276015 VAT no. NL 822692144B01

International Banking Account no. NL25ABNA0401276015 – Swift no. ABNANL2A